
SENSAPHONE Monitoring Sensor

IMS Accessories

Wireless Spot Water Detection Sensor



Description

The IMS-4215 Wireless Spot Water Detection Sensor provides remote leak detection monitoring without running wires. The sensor has four probes on the bottom of the enclosure which will trigger an alarm when any adjacent pair get wet. Alarm information is sent from the sensor to the IMS-4200 Wireless node via an integrated 2.4GHz Wireless radio. The device can transmit its signal up to 250' indoors and even greater distances when it has line-of-site. This sensor is battery operated only, and cannot be used as a router. Simply place the sensor on the floor in the area to be monitored. The sensor comes with 3 AA alkaline batteries which will power the sensor for up to 2 years.

Package Contents

(1) Wireless Spot Water sensor

(2) Plastic drywall anchors

(2) #6 Metal tapping screws

(1) 1/16" hex key

Specifications

Operating Temperature Range: 32° to 122°F (0° to 50°C)

Operating Humidity Range: 5–90% RH

Power Requirements: (3) AA Batteries

Wireless Technology: ISM 2.4GHz, 100 mW (20dBm) Housing: White plastic

Size: 6.8" x 3.5" x 1.5"

Compatibility: IMS-4000 Wireless Node

*Specifications subject to change without notice